

## SAFETY DATA SHEET

Revision Date 02-Apr-2024

Revision Number 4

### 1. Identification

**Product Name** Aluminum rod, alloy 6061

**Cat No. :** 42053

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label Elements

##### **Hazard Statements**

##### **Precautionary Statements**

##### **Hazards not otherwise classified (HNOC)**

None identified

### 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Aluminum	7429-90-5	97.9
Magnesium	7439-95-4	1.0
Silicon	7440-21-3	0.6
Copper	7440-50-8	0.27
Chromium	7440-47-3	0.2

#### 4. First-aid measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting.
<b>Most important symptoms and effects</b>	No information available.
<b>Notes to Physician</b>	Treat symptomatically

#### 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	approved class D extinguishers.
<b>Unsuitable Extinguishing Media</b>	Water may be ineffective
<b>Flash Point</b>	No information available
<b>Method -</b>	No information available
<b>Autoignition Temperature</b>	No information available
<b>Explosion Limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Sensitivity to Mechanical Impact</b>	No information available
<b>Sensitivity to Static Discharge</b>	No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

#### Hazardous Combustion Products

None known.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

**Health**  
0

**Flammability**  
2

**Instability**  
0

**Physical hazards**  
W

#### 6. Accidental release measures

<b>Personal Precautions</b>	No special precautions required.
<b>Environmental Precautions</b>	Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up** Pick up and transfer to properly labelled containers.

## 7. Handling and storage

**Handling** Ensure adequate ventilation.

**Storage.** Keep in a dry place. Keep away from acids.

## 8. Exposure controls / personal protection

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Aluminum	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 15 mg/m <sup>3</sup> (Vacated) TWA: 5 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Silicon		(Vacated) TWA: 10 mg/m <sup>3</sup> (Vacated) TWA: 5 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	
Copper	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	IDLH: 100 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Chromium	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	IDLH: 250 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** None under normal use conditions.

### Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No special protective equipment required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

<b>Physical State</b>	Solid
<b>Appearance</b>	Silver / Grey
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH</b>	No information available
<b>Melting Point/Range</b>	660.4 °C
<b>Boiling Point/Range</b>	No information available
<b>Flash Point</b>	No information available
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid,gas)</b>	No information available
<b>Flammability or explosive limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Vapor Pressure</b>	No information available
<b>Vapor Density</b>	No information available

Specific Gravity	No information available
Bulk Density	2.7 g/cm <sup>3</sup>
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

## 10. Stability and reactivity

Reactive Hazard	Yes
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	None under normal use conditions
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

## 11. Toxicological information

### Acute Toxicity

#### Product Information

Oral LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Dermal LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Mist LC50	Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.
Vapor LC50	Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

#### Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aluminum	Not listed	Not listed	LC50 > 0.888 mg/L ( Rat ) 4 h
Magnesium	LD50 = 230 mg/kg ( Rat )	Not listed	Not listed
Silicon	LD50 = 3160 mg/kg ( Rat )	Not listed	Not listed
Copper	Not listed	Not listed	LC50 > 5.11 mg/L ( Rat ) 4 h

Toxicologically Synergistic Products	No information available
--------------------------------------	--------------------------

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	No information available
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Aluminum	7429-90-5	Not listed	Not listed	Not listed	Not listed	Not listed
Magnesium	7439-95-4	Not listed	Not listed	Not listed	Not listed	Not listed
Silicon	7440-21-3	Not listed	Not listed	Not listed	Not listed	Not listed
Copper	7440-50-8	Not listed	Not listed	Not listed	Not listed	Not listed
Chromium	7440-47-3	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects	No information available
-------------------	--------------------------

<b>Reproductive Effects</b>	No information available.
<b>Developmental Effects</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>STOT - single exposure</b>	None known
<b>STOT - repeated exposure</b>	None known
<b>Aspiration hazard</b>	No information available
<b>Symptoms / effects, both acute and delayed</b>	No information available
<b>Endocrine Disruptor Information</b>	No information available
<b>Other Adverse Effects</b>	The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Contains a substance which is: Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Copper	EC50: 0.031 - 0.054 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535 mg/L, 72h static (Pseudokirchneriella subcapitata)	LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.052 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas)	Not listed	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)

<b>Persistence and Degradability</b>	No information available
<b>Bioaccumulation/ Accumulation</b>	No information available.
<b>Mobility</b>	No information available.

## 13. Disposal considerations

<b>Waste Disposal Methods</b>	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
-------------------------------	---

## 14. Transport information

<b>DOT</b>	Not regulated
<b>TDG</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated

## 15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Aluminum	7429-90-5	X	ACTIVE	-
Magnesium	7439-95-4	X	ACTIVE	-
Silicon	7440-21-3	X	ACTIVE	-
Copper	7440-50-8	X	ACTIVE	-
Chromium	7440-47-3	X	ACTIVE	-

#### Legend:

**TSCA** - US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)** Not applicable

**TSCA 12(b)** - Notices of Export Not applicable

### International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Aluminum	7429-90-5	X	-	231-072-3	X	X		X	X	KE-00881
Magnesium	7439-95-4	X	-	231-104-6	X	X		X	X	KE-22673
Silicon	7440-21-3	X	-	231-130-8	X	X		X	X	KE-31029
Copper	7440-50-8	X	-	231-159-6	X	X		X	X	KE-08896
Chromium	7440-47-3	X	-	231-157-5	X	X		X	X	KE-05970

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting thresholds
Aluminum	7429-90-5	97.9	1.0 %	-
Copper	7440-50-8	0.27	1.0 %	-
Chromium	7440-47-3	0.2	1.0 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper	-	-	X	X
Chromium	-	-	X	X

#### Clean Air Act

OSHA - Occupational Safety and Health Administration

Not applicable

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Copper	5000 lb	-	5000 lb 2270 kg
Chromium	5000 lb	-	5000 lb 2270 kg

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum	X	X	X	-	X
Magnesium	X	X	X	-	X
Silicon	X	X	X	-	X
Copper	X	X	X	X	X
Chromium	X	X	X	X	X

#### U.S. Department of Transportation

Reportable Quantity (RQ): Y  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

#### U.S. Department of Homeland Security

This product contains the following DHS chemicals:  
**Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum	-
Magnesium	-

#### Other International Regulations

#### Mexico - Grade

No information available

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aluminum	7429-90-5	-	Use restricted. See item 75. (see link for restriction details)	-
Magnesium	7439-95-4	-	-	-
Silicon	7440-21-3	-	-	-
Copper	7440-50-8	-	Use restricted. See item 75. (see link for restriction details)	-

Chromium	7440-47-3	-	Use restricted. See item 75. (see link for restriction details)	-
----------	-----------	---	--	---

**REACH links**

<https://echa.europa.eu/substances-restricted-under-reach>

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Aluminum	7429-90-5	Listed	Not applicable	Not applicable	Not applicable
Magnesium	7439-95-4	Listed	Not applicable	Not applicable	Not applicable
Silicon	7440-21-3	Listed	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

**Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Aluminum	7429-90-5	Not applicable	Not applicable	Not applicable	Not applicable
Magnesium	7439-95-4	Not applicable	Not applicable	Not applicable	Not applicable
Silicon	7440-21-3	Not applicable	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Not applicable	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

**Prepared By**

Health, Safety and Environmental Department  
Email: [chem.techinfo@thermofisher.com](mailto:chem.techinfo@thermofisher.com)  
[www.thermofisher.com](http://www.thermofisher.com)

**Revision Date**

02-Apr-2024

**Print Date**

02-Apr-2024

**Revision Summary**

New emergency telephone response service provider.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**