

SIGMA-ALDRICH

Material Safety Data Sheet

Version 3.0
Revision Date 02/10/2010
Print Date 02/18/2010

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : **Cacodylic acid**
Product Number : C0125
Brand : Sigma
Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +18003255832
Fax : +18003255052
Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Dimethylarsinic acid
Hydroxydimethylarsine oxide
Dimethylarsonic acid
Formula : $C_2H_7AsO_2$
Molecular Weight : 138.00 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Dimethylarsinic acid			
75-60-5	200-883-4	033-002-00-5	-

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Irritant, Teratogen

Target Organs

Kidney, Gastrointestinal tract, Skin, Heart, Brain., Bone marrow, Nerves., Liver

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 2
Flre: 0

Sigma - C0125
Delivery 0834689547-000020 Purchase Order CCS-6655

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Page 1 of 6

Reactivity Hazard: 0

Potential Health Effects

Inhalation Toxic if inhaled. Causes respiratory tract irritation.
Skin May be harmful if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation.
Ingestion Toxic if swallowed.
Aggravated Cacodylic acid may be partially reduced to inorganic arsenic in the body.,
Medical Condition Exposure to arsenic compounds can cause: burning, dry nose, dry mouth, Muscle cramps/spasms., May cause irritation of the: Gastrointestinal tract, Vomiting, Nausea, Diarrhoea, Shock., death.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point no data available

Ignition temperature no data available

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods for cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Storage

Keep container tightly closed in a dry and well-ventilated place.

Sigma - C0125

Delivery 0834689547-000020 Purchase Order CCS-6655

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Page 2 of 6

RECEIVED
MAR 01 2010
Safety & Environmental
Health

hygroscopic

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form crystalline
Colour white

Safety data

pH no data available
Melting point 195 - 196 °C (383 - 385 °F)
Boiling point no data available
Flash point no data available
Ignition temperature no data available
Lower explosion limit no data available
Upper explosion limit no data available
Water solubility no data available

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Conditions to avoid

Avoid moisture.

Materials to avoid

Strong oxidizing agents, Strong bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Arsenic oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 644 mg/kg

Irritation and corrosion

Skin - rat -

Eyes - rat -

Sensitisation

no data available

Chronic exposure

Carcinogenicity - mouse - Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 1 - Group 1: Carcinogenic to humans (Dimethylarsinic acid)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Laboratory experiments have shown mutagenic effects.

May cause congenital malformation in the fetus.

Reproductive toxicity - mouse - Oral

Effects on Newborn: Growth statistics (e.g., reduced weight gain). Effects on Newborn: Physical.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Signs and Symptoms of Exposure

Drowsiness, Tremors, Convulsions, dry mouth, metallic taste, loss of appetite, respiratory difficulties, garlic-like breath odor, garlic-like perspiration

Potential Health Effects

Inhalation	Toxic if inhaled. Causes respiratory tract irritation.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Toxic if swallowed.
Aggravated	Cacodylic acid may be partially reduced to inorganic arsenic in the body.
Medical Condition	Exposure to arsenic compounds can cause: burning, dry nose, dry mouth, Muscle cramps/spasms., May cause irritation of the: Gastrointestinal tract, Vomiting, Nausea, Diarrhoea, Shock., death,
Target Organs	Kidney, Gastrointestinal tract, Skin, Heart, Brain., Bone marrow, Nerves., Liver,

Additional Information
RTECS: CH7525000

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Bioaccumulation Gambusia affinis (Mosquito fish) - 32 d
Bioconcentration factor (BCF): 21

Ecotoxicity effects

Toxicity to fish LC50 - Lepomis macrochirus - > 180 mg/l - 96 h

Further information on ecology

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 1572 Class: 6.1 Packing group: II
Proper shipping name: Cacodylic acid
Reportable Quantity (RQ): 1 lbs
Marine pollutant: No
Poison Inhalation Hazard: No

IMDG

UN-Number: 1572 Class: 6.1 Packing group: II EMS-No: F-A, S-A
Proper shipping name: CACODYLIC ACID
Marine pollutant: No

IATA

UN-Number: 1572 Class: 6.1 Packing group: II
Proper shipping name: Cacodylic acid

15. REGULATORY INFORMATION

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Irritant, Teratogen

DSL Status

This product contains the following components listed on the Canadian NDSL list. All other components are on the Canadian DSL list.

Dimethylarsinic acid

CAS-No.
75-60-5

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Dimethylarsinic acid	75-60-5	1993-04-24

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Dimethylarsinic acid	75-60-5	1993-04-24

New Jersey Right To Know Components

	CAS-No.	Revision Date
Dimethylarsinic acid	75-60-5	1993-04-24

California Prop. 65 Components

	CAS-No.	Revision Date
WARNING! This product contains a chemical known to the State of California to cause cancer. Dimethylarsinic acid	75-60-5	2007-09-28

16. OTHER INFORMATION

Further information

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

RECEIVED
MAR 01 2010

