

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Allyl alcohol

Product Number : 240532
Brand : Aldrich

Supplier : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA

Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation
Product Safety - Americas Region
1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Toxic by ingestion, Highly toxic by skin absorption, Irritant

Target Organs

Lungs, Liver, Kidney

Other hazards which do not result in classification

Photosensitizer., Lachrymator.

GHS Classification

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 3)
Acute toxicity, Inhalation (Category 3)
Acute toxicity, Dermal (Category 1)
Skin irritation (Category 2)
Serious eye damage (Category 1)
Specific target organ toxicity - single exposure (Category 3)
Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

| | |
|-------------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H301 + H331 | Toxic if swallowed or if inhaled |
| H310 | Fatal in contact with skin. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
P302 + P350 IF ON SKIN: Gently wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 3
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 3
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.
Skin May be fatal if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation.
Ingestion Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : 2-Propen-1-ol
Formula : C₃H₆O
Molecular Weight : 58.08 g/mol

| Component | Concentration |
|------------------------|---------------|
| Allyl alcohol | |
| CAS-No. 107-18-6 | - |
| EC-No. 203-470-7 | |
| Index-No. 603-015-00-6 | |

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

| Components | CAS-No. | Value | Control parameters | Basis |
|---------------|--|-------|-------------------------------|--|
| Allyl alcohol | 107-18-6 | STEL | 4 ppm 10 mg/m ³ | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| Remarks | Skin notation | | | |
| | | TWA | 2 ppm 5 mg/m ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | Skin designation The value in mg/m ³ is approximate. | | | |
| | | TWA | 0.5 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | Eye & Upper Respiratory Tract irritation Not classifiable as a human carcinogen Danger of cutaneous absorption | | | |
| | | TWA | 2 ppm 5 mg/m ³ | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | Skin notation | | | |
| | | TWA | 2 ppm | USA. NIOSH Recommended Exposure Limits |

| | | | | |
|--|---------------------------------|----|-------------------------------|--|
| | | | 5 mg/m ³ | |
| | Potential for dermal absorption | | | |
| | | ST | 4 ppm 10 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | Potential for dermal absorption | | | |

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| | |
|--------|------------|
| Form | liquid |
| Colour | colourless |

Safety data

| | |
|--|---|
| pH | no data available |
| Melting point/freezing point | Melting point/range: -129 °C (-200 °F) - lit. |
| Boiling point | 96 - 98 °C (205 - 208 °F) - lit. |
| Flash point | no data available |
| Ignition temperature | 378 °C (712 °F) |
| Autoignition temperature | no data available |
| Lower explosion limit | 2.5 %(V) |
| Upper explosion limit | 18 %(V) |
| Vapour pressure | 183 hPa (137 mmHg) at 55 °C (131 °F) 31.7 hPa (23.8 mmHg) at 25 °C (77 °F) |
| Density | 0.854 g/cm ³ at 25 °C (77 °F) |
| Water solubility | no data available |
| Partition coefficient: n-octanol/water | no data available |
| Relative vapour | 2.01 |

| | |
|------------------|-------------------|
| density | - (Air = 1.0) |
| Odour | no data available |
| Odour Threshold | no data available |
| Evaporation rate | no data available |

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

Alkali metals, Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 64 mg/kg

Inhalation LC50

LC50 Inhalation - rat - 8 h - 76 ppm

Remarks: Lungs, Thorax, or Respiration:Acute pulmonary edema.

Dermal LD50

LD50 Dermal - rabbit - 45 mg/kg

Other information on acute toxicity

no data available

Skin corrosion/irritation

Skin - rabbit - Open irritation test - 24 h

Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation

Respiratory or skin sensitization

Buehler Test - guinea pig - Causes sensitization.

Germ cell mutagenicity

Genotoxicity in vitro - Hamster - Lungs

Mutation in mammalian somatic cells.

Carcinogenicity

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

| | |
|-------------------|---|
| Inhalation | May be harmful if inhaled. Causes respiratory tract irritation. |
| Ingestion | Toxic if swallowed. |
| Skin | May be fatal if absorbed through skin. Causes skin irritation. |
| Eyes | Causes eye irritation. |

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Synergistic effects

no data available

Additional Information

RTECS: BA5075000

12. ECOLOGICAL INFORMATION

Toxicity

| | |
|---|---|
| Toxicity to fish | LC50 - Pimephales promelas (fathead minnow) - 0.3 mg/l - 96.0 h |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - 1.65 mg/l - 48 h |
| Toxicity to algae | EC50 - SELENASTRUM - 2.25 mg/l - 72 h |

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1098 Class: 6.1 (3) Packing group: I
Proper shipping name: Allyl alcohol
Reportable Quantity (RQ): 100 lbs
Marine pollutant: No
Poison Inhalation Hazard: Hazard zone B

IMDG

UN number: 1098 Class: 6.1 (3) Packing group: I EMS-No: F-E, S-D
Proper shipping name: ALLYL ALCOHOL
Marine pollutant: No

IATA

UN number: 1098 Class: 6.1 (3)
Proper shipping name: Allyl alcohol
IATA Passenger: Not permitted for transport
IATA Cargo: Not permitted for transport

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Toxic by ingestion, Highly toxic by skin absorption, Irritant

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

| | CAS-No. | Revision Date |
|---------------|----------|---------------|
| Allyl alcohol | 107-18-6 | 1993-04-24 |

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|---------------|----------|---------------|
| Allyl alcohol | 107-18-6 | 1993-04-24 |

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

| | CAS-No. | Revision Date |
|---------------|----------|---------------|
| Allyl alcohol | 107-18-6 | 1993-04-24 |

Pennsylvania Right To Know Components

| | CAS-No. | Revision Date |
|---------------|----------|---------------|
| Allyl alcohol | 107-18-6 | 1993-04-24 |

New Jersey Right To Know Components

| | CAS-No. | Revision Date |
|---------------|----------|---------------|
| Allyl alcohol | 107-18-6 | 1993-04-24 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
