

SDS: D4642

ITEM: 11C643 - Calcium Gluconate Gel Burn Relief

ORDER: 0182100823

LP NUMBER: U858868282-A

SAFETY DATA SHEET (SDS)

This SDS should be attached or kept with the respective product with which it is associated.

SDS - D4642

Associated Items
11C643

SDS /

MATERIAL SAFETY DATA SHEET

CALGONATE (R*) CALCIUM GLUCONATE GEL, 2.5%

NFPA:

0
0
0

HEALTH 0
FLAMMABILITY 0
PHYSICAL HAZARD 0
PERSONAL PROTECTION 0

1. IDENTIFICATION

(A) PRODUCT IDENTIFIER: CALGONATE (R*) CALCIUM GLUCONATE GEL, 2.5%

(B) OTHER MEANS OF IDENTIFICATION: N/A

(C) RECOMMENDED USE AND RESTRICTIONS ON USE:
TOPICAL APPLICATION TYPICALLY USED AFTER CONTACT WITH HYDROFLUORIC ACID.

(D) SUPPLIER:
CALGONATE CORP.
1391 NW ST LUCIE WEST BLVD #303
PORT ST LUCIE, FL 34986
USA

PHONE: +1 (772) 408-8884

WWW.CALGONATE.COM

(E) EMERGENCY PHONE NUMBER: N/A

2. HAZARD (S) IDENTIFICATION

(A) CLASSIFICATION OF THE CHEMICAL IN ACCORDANCE WITH PARAGRAPH (D) OF SUBSECTION 1910.1200: NOT HAZARDOUS

(B) SIGNAL WORD, HAZARD STATEMENT(S), SYMBOL(S) AND PRECAUTIONARY STATEMENT(S) IN ACCORDANCE WITH PARAGRAPH (F) OF SUBSECTION 1910.1200: NONE

(C) HAZARDS NOT OTHERWISE CLASSIFIED THAT HAVE BEEN IDENTIFIED DURING THE CLASSIFICATION PROCESS: N/A

(D) INGREDIENT WITH UNKNOWN ACUTE TOXICITY >= 1%: NONE

3. COMPOSITION/INFORMATION ON INGREDIENTS

(A) CHEMICAL NAME AND CONCENTRATION OF ALL INGREDIENTS WHICH ARE CLASSIFIED AS HEALTH HAZARDS: NONE

4. FIRST-AID MEASURES

(A) DESCRIPTION OF NECESSARY MEASURES:

SKIN CONTACT:
FLUSH EXPOSED SKIN WITH COPIOUS AMOUNTS OF WATER AND SOAP. CONSULT A PHYSICIAN IF IRRITATION DEVELOPS.

EYE CONTACT:
FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, HOLDING THE EYES OPEN WIDE. CONSULT A PHYSICIAN.

INGESTION:
WASH OUT MOUTH WITH WATER, PROVIDED PERSON IS CONSCIOUS. GET MEDICAL ATTENTION. DO NOT INDUCE VOMITING UNLESS DIRECTED BY MEDICAL PERSONNEL.

(B) MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:
IRRITATION, PAIN, NAUSEA

(C) INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:
THE MATERIAL IS EXPECTED TO BE APPLIED TO SKIN IN SITUATIONS WHERE IRRITATION AND PAIN MAY ALREADY EXIST IN THE AREA OF CONTACT. HOWEVER, IF THE GEL IS SUSPECTED OF INCREASING THE PAIN OR DISCOMFORT, DISCONTINUE USE AND TREAT ACCORDINGLY.

5. FIRE-FIGHTING MEASURES

(A) SUITABLE (AND UNSUITABLE) EXTINGUISHING MEDIA:
THE PRODUCT CONTAINS MINIMALLY COMBUSTIBLE INGREDIENTS, HOWEVER, AS IT HAS A HIGH WATER CONTENT, THE RISK OF COMBUSTION IS CONSIDERED TO BE VERY LOW.

MEANS OF EXTINCTION: DRY CHEMICAL, CO₂, FOAM, WATER.

(B) SPECIFIC HAZARDS ARISING FROM THE CHEMICAL (E.G., NATURE OF ANY HAZARDOUS COMBUSTION PRODUCTS):
CARBON MONOXIDE (CO) AND CARBON DIOXIDE (CO₂)

(C) SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS: N/A

6. ACCIDENTAL RELEASE MEASURES

(A) PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:
THIS MATERIAL IS CONSIDERED STABLE UNDER NORMAL AMBIENT AND ANTICIPATED STORAGE AND HANDLING CONDITIONS OF TEMPERATURE (ROOM TEMPERATURE) AND

PRESSURE. AVOID CONTACT WITH OXIDIZING AGENTS AND STRONG BASES.

(B) METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:
USE ABSORBENT MATERIAL. WASH THE AREA WITH WATER.

7. HANDLING AND STORAGE

(A) PRECAUTIONS FOR SAFE HANDLING:
THIS MATERIAL IS CONSIDERED STABLE UNDER NORMAL AMBIENT AND ANTICIPATED STORAGE AND HANDLING CONDITIONS OF TEMPERATURE (ROOM TEMPERATURE) AND PRESSURE. AVOID CONTACT WITH OXIDIZING AGENTS AND STRONG BASES.

(B) CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:
VENTILATION NOT NORMALLY REQUIRED. NO ADDITIONAL APPLICABLE INFORMATION IS AVAILABLE.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

(A) OSHA PEL, ACGIH TLV, ETC.: N/A

(B) APPROPRIATE ENGINEERING CONTROLS:
VENTILATION NOT NORMALLY REQUIRED. NO ADDITIONAL APPLICABLE INFORMATION IS AVAILABLE.

(C) INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

PROTECTIVE GLOVES: NOT NORMALLY REQUIRED

EYE PROTECTION: NOT NORMALLY REQUIRED

OTHER PROTECTIVE EQUIPMENT: NOT NORMALLY REQUIRED

9. PHYSICAL AND CHEMICAL PROPERTIES

(A) APPEARANCE (PHYSICAL STATE, COLOR, ETC.):
COLORLESS, AQUEOUS VISCOUS GEL

(B) ODOR: ISOPROPYL ALCOHOL

(C) ODOR THRESHOLD: NO APPLICABLE INFORMATION IS AVAILABLE.

(D) PH: 6.0-7.0

(E) MELTING POINT/FREEZING POINT: NO APPLICABLE INFORMATION IS AVAILABLE.

(F) INITIAL BOILING POINT AND BOILING RANGE:
NO APPLICABLE INFORMATION IS AVAILABLE.

(G) FLASH POINT: NO APPLICABLE INFORMATION IS AVAILABLE.

(H) EVAPORATION RATE: NO APPLICABLE INFORMATION IS AVAILABLE.

(I) FLAMMABILITY (SOLID, GAS): NO APPLICABLE INFORMATION IS AVAILABLE.

(J) FLAMMABILITY OR EXPLOSIVE LIMITS:
NO APPLICABLE INFORMATION IS AVAILABLE.

(K) VAPOR PRESSURE: NO APPLICABLE INFORMATION IS AVAILABLE.

(L) VAPOR DENSITY: NO APPLICABLE INFORMATION IS AVAILABLE.

(M) RELATIVE DENSITY: NO APPLICABLE INFORMATION IS AVAILABLE.

(N) SOLUBILITY (IES): NO APPLICABLE INFORMATION IS AVAILABLE.

(O) PARTITION COEFFICIENT N-OCTANOL/WATER:
NO APPLICABLE INFORMATION IS AVAILABLE.

(P) AUTO-IGNITION TEMPERATURE: NO APPLICABLE INFORMATION IS AVAILABLE.

(Q) DECOMPOSITION TEMPERATURE: NO APPLICABLE INFORMATION IS AVAILABLE.

(R) VISCOSITY: NO APPLICABLE INFORMATION IS AVAILABLE.

10. STABILITY AND REACTIVITY

(A) REACTIVITY: N/A

(B) CHEMICAL STABILITY:
THIS MATERIAL IS CONSIDERED STABLE UNDER NORMAL AMBIENT AND ANTICIPATED STORAGE AND HANDLING CONDITIONS OF TEMPERATURE (ROOM TEMPERATURE) AND PRESSURE.

(C) POSSIBILITY OF HAZARDOUS REACTIONS:
AVOID CONTACT WITH OXIDIZING AGENTS AND STRONG BASES.

(D) CONDITIONS TO AVOID (E.G., STATIC DISCHARGE, SHOCK, OR VIBRATION):
AVOID STORAGE IN HOT, UNVENTILATED AREAS.

(E) INCOMPATIBLE MATERIALS:
MAY REACT WITH OXIDIZING AGENTS AND STRONG BASES.

(F) HAZARDOUS DECOMPOSITION PRODUCTS:
CARBON MONOXIDE (CO) AND CARBON DIOXIDE (CO₂).

11. TOXICOLOGICAL INFORMATION

(A) LIKELY ROUTES OF EXPOSURE:
SKIN/EYE CONTACT (LOCALIZED IRRITATION),
SKIN/EYE ABSORPTION (SYSTEMIC),
INGESTION (SYSTEMIC)

(B) SYMPTOMS:

CALCIUM GLUCONATE:

NO NEGATIVE EFFECTS EXPECTED FROM THE LOW CONCENTRATION IN THIS MIXTURE.

METHYLPARABEN:

NO NEGATIVE EFFECTS EXPECTED FROM THE LOW CONCENTRATION IN THIS MIXTURE.

(C) DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT- AND LONG-TERM EXPOSURE:

METHYLPARABEN:

NO NEGATIVE EFFECTS EXPECTED FROM THE LOW CONCENTRATION IN THIS MIXTURE. LARGER QUANTITIES OF THIS INGREDIENT MIGHT CAUSE HYPERSENSITIVITY AFTER LONG TERM OR REPEATED CONTACT.

(D) NUMERICAL MEASURES OF TOXICITY (SUCH AS ACUTE TOXICITY ESTIMATES): N/A

(E) CHEMICAL LISTED IN THE NATIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS OR FOUND TO BE A POTENTIAL CARCINOGEN IN THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) MONOGRAPHS, OR BY OSHA: N/A

12. ECOLOGICAL INFORMATION

NO APPLICABLE INFORMATION IS AVAILABLE.

13. DISPOSAL CONSIDERATIONS

DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

14. TRANSPORT INFORMATION

AVOID STORAGE IN HOT, UNVENTILATED AREAS. AVOID CONTACT WITH INCOMPATIBILITIES.

15. REGULATORY INFORMATION

USA - TSCA:

ALL INGREDIENTS OF THIS MATERIAL ARE ON THE US TSCA INVENTORY OR ARE EXEMPT.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

THE ABOVE DATA ARE OFFERED IN GOOD FAITH AS TYPICAL VALUES, NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS MADE. THE RECOMMENDED HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. THE INFORMATION CONTAINED IN THIS FORM IS BASED ON DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE AND HAS BEEN PREPARED IN GOOD FAITH IN ACCORDANCE WITH THE AVAILABLE MATERIAL. IT IS PROVIDED AS A SERVICE TO THE PERSONS USING THE PRODUCT BUT CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS BEYOND THE CONTROL OF CALSONATE CORP. EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF INTENDED USE.

REVISION: 16 APRIL 2013



SIGMA-ALDRICH

RECEIVED
JUN 15 2009
Safety & Environmental
Health

Material Safety Data Sheet

Date Printed: 06/08/2009
Date Updated: 09/26/2008
Version 1.60

Section 1 - Product and Company Information

Product Name: Cardioliipin solution from bovine heart
Product Number: C1649
Brand: Sigma Chemical
Company: Sigma-Aldrich
Address: 3050 Spruce Street
City, State, Zip, Country: SAINT LOUIS, MO 63103 US
Technical Phone: 800-325-5832
Fax: 800-325-5052
Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

Table with columns: Substance Name, CAS #, SARA 313, EC no, Annex I Index Number. Rows include CARDIOLIIPIN DISODIUM SALT FROM BOVINE HEART, 5 MG/ML IN ETOH* and its ingredients.

Section 3 - Hazards Identification

Emergency Overview
Flammable (USA) Highly Flammable (EU). Irritant.
Irritating to eyes, respiratory system and skin.
Target organ(s): Nerves. Liver.

HMIS Rating
Health: 2* Flammability: 3 Reactivity: 0

NFPA Rating
Health: 2 Flammability: 3 Reactivity: 0

*additional chronic hazards present.
For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

Oral Exposure
If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Inhalation Exposure
If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

Dermal Exposure
In case of contact, immediately wash skin with soap and copious amounts of water.

Eye Exposure
In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Section 5 - Fire Fighting Measures

Flammable Hazards: Yes
Flash Point: 57.2 °F 14 °C
Autoignition Temp: N/A Flammability: Yes
Extinguishing Media Suitable
Carbon dioxide, dry chemical powder, or appropriate foam.

Firefighting Protective Equipment
Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Specific Hazard(s)
Flammable liquid. Vapor may travel considerable distance to source of ignition and flash back.
Specific Method(s) of Fire Fighting
Use water spray to cool fire-exposed containers.

Section 6 - Accidental Release Measures

Procedure to be Followed in Case of Leak or Spill
Evacuate area. Shut off all sources of ignition.

Procedure(s) of Personal Precaution(s)
Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

Methods for Cleaning Up
Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

Handling User Exposure
Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

Storage Suitable
Keep tightly closed. Keep away from heat, sparks, and open flame. Store at -20°C

Section 8 - Exposure Controls / PPE

Engineering Controls
Use only in a chemical fume hood. Safety shower and eye bath.

Personal Protective Equipment Respiratory
Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose

(EU). Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a fullface supplied air respirator.

Hand

Compatible chemical-resistant gloves.

Eye

Chemical safety goggles.

Skin-Specific

Chemical resistant apron.

General Hygiene Measures

Wash thoroughly after handling.

Exposure Limits

Country	Type	Value
Poland	NDS	1900 MG/M3
Remarks: ETHANOL		
Poland	NDSCh	-
Remarks: ETHANOL		
Poland	NDSP	-
Remarks: ETHANOL		

Section 9 - Physical/Chemical Properties

Appearance

Physical State	Color
Clear liquid	Colorless

Molecular Weight N/A

pH N/A
BP/BP Range 78 - 80 °C
MP/MP Range N/A
Freezing Point N/A
Vapor Pressure N/A
Vapor Density N/A
Saturated Vapor Conc. N/A
SG/Density 0.79 g/cm³
Bulk Density N/A
Odor Threshold N/A
Volatile% N/A
VOC Content N/A
Water Content N/A
Solvent Content N/A
Evaporation Rate N/A
Viscosity N/A
Partition Coefficient N/A
Decomposition Temp. N/A
Flash Point °F 57.2 °F
Flash Point °C 14 °C

Method: closed cup
Method: closed cup

Explosion Limits N/A

Flammability N/A
Autoignition Temp N/A
Refractive Index 1.362

Solubility N/A

N/A = not available

Section 10 - Stability and Reactivity

Stability

Stable

Stable.

Conditions to Avoid

Moisture.

Materials to Avoid

Acids, Acid chlorides, Acid anhydrides, Alkali metals, Ammonia, Oxidizing agents, Peroxides

Hazardous Decomposition Products

Hazardous Decomposition Products

Nature of decomposition products not known

Hazardous Polymerization

Hazardous Polymerization

Will not occur.

Section 11 - Toxicological Information

Route of Exposure

Skin Contact

May cause skin irritation.

Skin Absorption

May be harmful if absorbed through the skin.

Eye Contact

May cause eye irritation.

Inhalation

May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

Ingestion

May be harmful if swallowed.

Target Organ(s) or System(s)

Nerves, Liver, Heart.

Signs and Symptoms of Exposure

Can cause CNS depression. Exposure can cause: Narcotic effect, Nausea, headache, and vomiting. Damage to the heart. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

RTECS Number: N/A

Chronic Exposure - Carcinogen

Result: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

Appropriate Method of Disposal of Substance or Preparation

Contact a licensed professional waste disposal service to dispose of this material.
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.
Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Ethanol [or] Ethyl alcohol [or] Ethanol solutions [or] Ethyl alcohol solutions
UN#: 1170
Class: 3
Packing Group: Packing Group II
Hazard Label: Flammable liquid
PIH: Not PIH

IATA

Proper Shipping Name: Ethanol solution
IATA UN Number: 1170
Hazard Class: 3
Packing Group: II

Section 15 - Regulatory Information

EU Additional Classification

Symbol of Danger: F

Indication of Danger

Highly Flammable.

Risk Statements R: 11

Highly flammable.

Safety Statements S: 7 16

Keep container tightly closed. Keep away from sources of ignition - no smoking.

US Classification and Label Text

Indication of Danger

Flammable (USA) Highly Flammable (EU). Irritant.

Risk Statements

Irritating to eyes, respiratory system and skin.

Safety Statements

Keep container tightly closed. Keep away from sources of ignition - no smoking. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing.

US Statements

Target organ(s): Nerves, Liver.

United States Regulatory Information

SARA Listed: No

Canada Regulatory Information

WHMIS Classification

This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No

NDSL: No

Section 16 - Other Information

Disclaimer

For R&D use only. Not for drug, household or other uses.

Warranty

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. SigmaAldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of notice or packing slip for additional terms and conditions of sale. Copyright 2009 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

