

# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

### **SECTION 1. IDENTIFICATION**

Product name : N,N-Dimethylformamide

Number : 000000011357

Product Use Description : Solvent

Manufacturer or supplier's

details

Honeywell International Inc. 1953 South Harvey Street

Muskegon, MI 49442

For more information call : 1-800-368-0050

+1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

(24 hours/day, 7 days/week)

### **SECTION 2. HAZARDS IDENTIFICATION**

**Emergency Overview** 

Form : liquid

Color : colourless

Odor : mild amine-like

Page 1 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

### Classification of the substance or mixture

or mixture

Classification of the substance : Flammable liquids, Category 3 Acute toxicity, Category 4, Inhalation

> Eve irritation, Category 2A Carcinogenicity, Category 1B Reproductive toxicity, Category 1B

### GHS Label elements, including precautionary statements

Symbol(s)







Signal word Danger

Hazard statements : Flammable liquid and vapour.

Causes serious eye irritation.

Harmful if inhaled. May cause cancer.

May damage fertility or the unborn child.

Precautionary statements : Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

### Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

#### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

### Carcinogenicity

IARC: N,N-Dimethylformamide 68-12-2

Group 2A: Probably carcinogenic to humans

ACGIH: N,N-Dimethylformamide 68-12-2

A3: Confirmed animal carcinogen

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C3H7NO

Chemical nature : Substance

Page 3 / 16



# N,N-Dimethylformamide

270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

Chemical name	CAS-No.	Concentration
N,N-Dimethylformamide	68-12-2	100.00 %

### **SECTION 4. FIRST AID MEASURES**

Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Call a physician.

Ingestion : Do not induce vomiting without medical advice. Never give

anything by mouth to an unconscious person. Call a physician.

Notes to physician

Indication of immediate medical attention and special treatment needed, if

: Treat symptomatically.

necessary

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Dry chemical

Carbon dioxide (CO2) Alcohol-resistant foam

Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during : Flammable.

Page 4 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

firefighting Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2) nitrogen oxides (NOx) Dimethylamine

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Wear personal protective equipment.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Ensure adequate ventilation. Remove all sources of ignition.

Do not swallow.

Avoid breathing vapours, mist or gas.

Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Discharge into the environment must be avoided.

Do not flush into surface water or sanitary sewer system.

Do not allow run-off from fire fighting to enter drains or water

courses.

Methods and materials for containment and cleaning

up

Ventilate the area.

No sparking tools should be used. Use explosion-proof equipment.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Page 5 / 16



# N,N-Dimethylformamide

### 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

### **SECTION 7. HANDLING AND STORAGE**

### Handling

Precautions for safe

handling

: Wear personal protective equipment.

Use only in well-ventilated areas. Keep container tightly closed.

Do not smoke. Do not swallow.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Advice on protection against :

fire and explosion

Keep away from fire, sparks and heated surfaces.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Use explosion-proof equipment.

Keep product and empty container away from heat and sources

of ignition.

No sparking tools should be used.

No smoking.

### **Storage**

Conditions for safe storage,

including any incompatibilities

Store in area designed for storage of flammable liquids. Protect

from physical damage.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep away from heat and sources of ignition.

Keep away from direct sunlight.

Store away from incompatible substances.

Container hazardous when empty.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.



# N,N-Dimethylformamide

### 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Engineering measures : Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during

and after use.

Eye protection : Do not wear contact lenses.

Wear as appropriate:

Safety glasses with side-shields If splashes are likely to occur, wear:

Goggles or face shield, giving complete protection to eyes

Hand protection : Solvent-resistant gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant apron

Flame retardant antistatic protective clothing.

If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Use NIOSH approved respiratory protection.

Hygiene measures : When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the

product.

Keep working clothes separately.

Remove and wash contaminated clothing before re-use.

Do not swallow.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

This material has an established AIHA ERPG exposure limit. The current list of ERPG exposure limits can be found at

Page 7 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

http://www.aiha.org/insideaiha/GuidelineDevelopment/ERPG/Documents/2011erpgweelhandbook\_table-only.pdf.

**Exposure Guidelines** 

Exposure Guidelin					
Components	CAS-No.	Value	Control parameters	Upda te	Basis
N,N-Dimethylform amide	68-12-2	SKIN_DE S : Skin designati on:	Can be absorbed through the skin.	2008	ACGIH:US. ACGIH Threshold Limit Values
N,N-Dimethylform amide	68-12-2	REL: Recomm ended exposure limit (REL):	30 mg/m3 (10 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
N,N-Dimethylform amide	68-12-2	SKIN_DE S : Skin designati on:	Can be absorbed through the skin.	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
N,N-Dimethylform amide	68-12-2	SKIN_DE S : Skin designati on:	Can be absorbed through the skin.	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
N,N-Dimethylform amide	68-12-2	PEL: Permissi ble exposure limit	30 mg/m3 (10 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

N,N-Dimethylform amide	68-12-2	TWA: Time weighted average	30 mg/m3 (10 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
N,N-Dimethylform amide	68-12-2	SKIN_FI NAL: Skin designati on (Final Rule Limit applies):	Can be absorbed through the skin.	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
N,N-Dimethylform amide	68-12-2	TWA: Time weighted average	(5 ppm)	03 2018	ACGIH:US. ACGIH Threshold Limit Values

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Color : colourless

Odor : mild amine-like

Odor threshold : Note: no data available

pH : Note: neutral

Freezing point : -60.4 °C

Boiling point/boiling range : 153 °C

Flash point : 136 °F (58 °C)

Method: closed cup

Page 9 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

Lower explosion limit : 2.2 %(V)

Upper explosion limit : 15.2 %(V)

Vapor pressure : 3.6 hPa

Vapor density : 2.5 Note: (Air = 1.0)

Density : 0.949 g/cm3 at 20 °C

Water solubility : Note: completely soluble

Ignition temperature : 445 °C

Viscosity, kinematic : Note: no data available

Molecular weight : 73.10 g/mol

### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Page 10 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

Conditions to avoid : Heat, flames and sparks.

Keep away from direct sunlight.

Incompatible materials : Strong oxidizing agents

Halogenated compounds

Iron

Carbon tetrachloride Alkyl aluminums Inorganic nitrates

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2) nitrogen oxides (NOx) Toxic gases/vapours Dimethylamine

•

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity : LD50: 2,800 mg/kg

Species: Rat

Acute inhalation toxicity : LC50: > 5.9 mg/l , vapour

Exposure time: 4 h

Species: Rat

Acute dermal toxicity : LD50: 4,720 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Result: slight irritation

Page 11 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

Eye irritation : Species: Rabbit

Result: Irritating to eyes.

: Species: Rat Repeated dose toxicity

Application Route: Inhalation

Note: Liver toxicity (100 or 400 ppm for 6h/day, 5 days/week for

2 yr.)

: Species: Mouse

Application Route: Inhalation

Note: Liver toxicity (100 or 400 ppm, males and 400 ppm,

females for 6h/day, 5days/week for 18 mos.)

: Note: May cause cancer. May damage fertility or the unborn Further information

child.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity effects**

Toxicity to fish : LC50: > 500 mg/l

Exposure time: 48 h

Species: Leuciscus idus (Golden orfe)

Toxicity to daphnia and other : LC50: 12.4 g/l

aquatic invertebrates

Exposure time: 48 h

Species: Daphnia magna (Water flea)

Toxicity to algae : LC50: > 1,000 mg/l

Exposure time: 96 h

Species: Scenedesmus capricornutum (fresh water algae)

### Further information on ecology

Page 12 / 16



# N,N-Dimethylformamide

## 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

### **SECTION 14. TRANSPORT INFORMATION**

**DOT** UN/ID No. : UN 2265

Proper shipping name : N,N-DIMETHYLFORMAMIDE

Class 3
Packing group III
Hazard Labels 3

IATA UN/ID No. : UN 2265

Description of the goods : N,N-DIMETHYLFORMAMIDE

Class : 3
Packaging group : III
Hazard Labels : 3
Packing instruction (cargo : 366

aircraft)

Packing instruction : 355

(passenger aircraft)

Packing instruction : Y344

(passenger aircraft)

**IMDG** UN/ID No. : UN 2265

Description of the goods : N,N-DIMETHYLFORMAMIDE

Class : 3
Packaging group : III
Hazard Labels : 3
EmS Number : F-E, S-D
Marine pollutant : no

### **SECTION 15. REGULATORY INFORMATION**

Page 13 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

**Inventories** 

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia, Industrial Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian **Environmental Protection** Act (CEPA). Domestic Substances List (DSL)

: All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

### National regulatory information

US. EPA CERCLA Hazardous Substances (40

CFR 302)

: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the

Reportable Quantity (RQ):

Reportable quantity: 100 lbs

: N,N-Dimethylformamide 68-12-2

Page 14 / 16



# N,N-Dimethylformamide

# 270547-4X4L

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components : The following components are subject to reporting levels

established by SARA Title III, Section 313:

: N,N-Dimethylformamide 68-12-2

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard Chronic Health Hazard

**CERCLA Reportable** 

Quantity

: 100 lbs

California Prop. 65

**WARNING:**This product can expose you to chemicals, listed below, known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

N,N-Dimethylformamide 68-12-2

Massachusetts RTK : N,N-Dimethylformamide 68-12-2

New Jersey RTK : N,N-Dimethylformamide 68-12-2

**Pennsylvania RTK** : N,N-Dimethylformamide 68-12-2

### **SECTION 16. OTHER INFORMATION**

	HMIS III	NFPA
Health hazard	: 2*	2
Flammability	: 2	2
Physical Hazard	: 0	
Instability	:	0

<sup>\* -</sup> Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.



# N,N-Dimethylformamide

27	<b>'05</b>	47-	<b>4</b> X	<b>4</b> 1
	UU	T/		. —

Version 4.0 Revision Date 10/29/2018 Print Date 10/17/2019

### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 02/16/2018

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group