



SIGMA-ALDRICH

RECEIVED
JUL 12 2010
Safety & Environmental
Health

Material Safety Data Sheet

Date Printed: 07/02/2010
Date Updated: 02/03/2006
Version 1.40

Section 1 - Product and Company Information

Product Name KDWR PESTICIDES KIT, 5X1ML, METHANOL 1000UG/ML
Product Number 47627-U
Brand Supelco Chemical

Company Sigma-Aldrich
Street Address 3050 Spruce Street
City, State, Zip, Country SAINT LOUIS, MO 63103 US
Technical Phone: 800-325-5832
Fax: 800-325-5052
Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

<u>Substance Name</u>	<u>CAS #</u>	<u>SARA 313</u>	<u>EC no</u>	<u>Annex I Index Number</u>
KDWR PESTICIDES MIX	None	Yes		
<u>Ingredient Name</u>	<u>CAS #</u>	<u>Percent</u>	<u>SARA 313</u>	
METHANOL	67-56-1	>= 99.000 % <= 100.000 %	Yes Yes	
1-NAPHTHYL N-METHYLCARBAMATE	63-25-2	0.100 %	Yes	
DIAZINON-DIETHYL-D10, 99 ATOM % D	100155-47-3	<= 0.100 %	No	
FENITROTHION	122-14-5	<= 0.100 %		
MALATHION	121-75-5	<= 0.100 %	Yes	
PARATHION	56-38-2	<= 0.100 %	Yes	

Formula
Synonyms

Section 3 - Hazards Identification

Emergency Overview

Flammable (USA) Highly Flammable (EU). Toxic.
Toxic by inhalation and if swallowed. Irritating to eyes and skin. Possible risk of harm to the unborn child. May impair fertility. Limited evidence of a carcinogenic effect.
Target organ(s): Eyes, Kidneys.

HMIS Rating

Health: 2* Flammability: 3 Reactivity: 0

NFPA Rating

Health: 2 Flammability: 3 Reactivity: 0

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

Oral Exposure

If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Inhalation Exposure

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

Dermal Exposure

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

Eye Exposure

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Section 5 - Fire Fighting Measures

Flammable Hazards: Yes

Explosion Hazards

Vapor may travel considerable distance to source of ignition and flash back.
Container explosion may occur under fire conditions.

Autoignition Temp: N/A

Flammability: Yes

Extinguishing Media Suitable

Water spray, Carbon dioxide, dry chemical powder, or appropriate foam.

Firefighting

Protective Equipment

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Specific Hazard(s)

Flammable liquid. Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

Procedure to be Followed in Case of Leak or Spill

Evacuate area. Shut off all sources of ignition.

Procedure(s) of Personal Precaution(s)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

Methods for Cleaning Up

Cover with dry-lime, sand, or soda ash. Place in covered containers using nonsparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

Environmental Precaution(s)

Do not allow material to enter drains or water courses. Avoid contaminating sewers and waterways with this material.

Section 7 - Handling and Storage

Handling

User Exposure

Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not use if skin is cut or scratched. Wash thoroughly after handling.

Supelco Chemical - 47627-U

Page 2

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Storage
Suitable

Keep tightly closed. Keep away from heat, sparks, and open flame. Store at 2-8°C

Section 8 - Exposure Controls / PPE**Engineering Controls**

Safety shower and eye bath. Use nonsparking tools. Use only in a chemical fume hood.

Personal Protective Equipment**Respiratory**

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Use supplied-air or SCBA respirators. Europe permits the use of type AXBEK fullface cartridge respirators (EN 14387).

Hand

Compatible chemical-resistant gloves.

Eye

Chemical safety goggles.

General Hygiene Measures

Wash thoroughly after handling. Discard contaminated clothing and shoes.

Exposure Limits

Country	Type	Value
Poland	NDS	100 MG/M3
Remarks METHANOL		
Poland	NDSch	300 MG/M3
Remarks METHANOL		
Poland	NDSP	
Remarks METHANOL		

Section 9 - Physical/Chemical Properties**Appearance****Physical State**

Liquid

Molecular Weight N/A

pH N/A

BP/BP Range N/A

MP/MP Range N/A

Freezing Point N/A

Vapor Pressure N/A

Vapor Density N/A

Saturated Vapor Conc. N/A

SG/Density N/A

Bulk Density N/A

Odor Threshold N/A

Volatile% N/A

VOC Content N/A

Water Content N/A

Solvent Content N/A

Evaporation Rate N/A

Viscosity N/A

Partition Coefficient N/A

Decomposition Temp. N/A

Flash Point °F N/A

Flash Point °C N/A

Explosion Limits N/A

Supelco Chemical - 47627-U

Page 3

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Flammability N/A

Autoignition Temp N/A

Solubility N/A

N/A = not available

Section 10 - Stability and Reactivity**Stability**

Stable

Stable.

Materials to Avoid

Acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents

Hazardous Decomposition Products**Hazardous Decomposition Products**

Phosphorous oxides, Sulfur oxides, Nitrogen oxides, Carbon monoxide, Carbon dioxide

Hazardous Polymerization**Hazardous Polymerization**

Will not occur.

Section 11 - Toxicological Information**Route of Exposure****Skin Contact**

May cause skin irritation.

Skin Absorption

Toxic if absorbed through skin.

Eye Contact

May cause eye irritation.

Inhalation

Toxic if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

Ingestion

Toxic if swallowed.

Target Organ(s) or System(s)

Eyes, Kidneys, Liver, Heart.

Signs and Symptoms of Exposure

Methyl alcohol may be fatal or cause blindness if swallowed. Cannot be made nonpoisonous. Ingestion can cause: Nausea, headache, and vomiting. Gastrointestinal disturbances. Dizziness. Weakness. Confusion. Drowsiness. Unconsciousness. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

RTECS Number: N/A

Chronic Exposure - Teratogen

Result: Possible risk of congenital malformation in the fetus.

Chronic Exposure - Mutagen

Result: Laboratory experiments have shown mutagenic effects.

Chronic Exposure - Reproductive Hazard

Result: May cause reproductive disorders.

Section 12 - Ecological Information

No data available.

Supelco Chemical - 47627-U

Page 4

Sigma-Aldrich Corporation
www.sigma-aldrich.com

Section 13 - Disposal Considerations

Appropriate Method of Disposal of Substance or Preparation

Contact a licensed professional waste disposal service to dispose of this material.

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Methanol

UN#: 1230

Class: 3

Packing Group: Packing Group II

Hazard Label: Flammable liquid

PIH: Not PIH

IATA

Proper Shipping Name: Methanol

IATA UN Number: 1230

Hazard Class: 3

Packing Group: II

Section 15 - Regulatory Information

EU Additional Classification

Symbol of Danger: F T N

Indication of Danger

Highly Flammable, Toxic, Dangerous for the environment.

Risk Statements R: 11 23/24/25 39/23/24/25 51/53

Highly flammable, Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. Toxic to aquatic organisms, may cause longterm adverse effects in the aquatic environment.

Safety Statements S: 36/37 45 61

Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid release to the environment. Refer to special instructions/safety data sheets.

US Classification and Label Text

Indication of Danger

Flammable (USA) Highly Flammable (EU). Toxic.

Risk Statements

Toxic by inhalation and if swallowed. Irritating to eyes and skin. Possible risk of harm to the unborn child. May impair fertility.

Limited evidence of a carcinogenic effect.

Safety Statements

Keep container tightly closed. Keep away from sources of ignition- no smoking. Avoid contact with skin. Take precautionary measures against static discharges. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US Statements

Target organ(s): Eyes, Kidneys.

United States Regulatory Information

SARA Listed: Yes

Notes: This product is or contains a component that is subject to SARA313 reporting requirements.

Canada Regulatory Information

WHMIS Classification

This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No

NDSL: No

Section 16 - Other Information

Disclaimer

For R&D use only. Not for drug, household or other uses.

Warranty

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. SigmaAldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.